

EVOTECH Full-Body Harness

- Red vest-style harness with steel D-rings.
- Breathable padding with moisture-wicking material keeps users cooler and no binding edge on shoulder padding prevents neck chafing.
- Variable width sub-pelvic strap provides 50% more surface area for improved weight distribution, improving comfort during work positioning and personnel riding applications.
- Leg strap design keeps leg straps in place, increasing mobility and comfort.
- Single-hand torso adjustment buckles simplify harness adjustment.
- Dual-color webbing (red pattern on outside, black on inside) simplifies harness donning and promotes easy identification of twisted webbing.
- Web management system provides means of storing excess webbing.
- RFID-enabled. RFID chip provides easy means of tracking and inspecting.
- 3-position back D-ring allows users to determine optimal lanyard connection position.
- Web finials prevent fraying on web ends and simplify threading through buckles. NanoSphere® coating on webbing repels dirt, grease, moisture, etc.
- Covered label pack protects labels from environment.
- Reflective piping integrated into harness webbing increases visibility in low-light environments.
- Available with Suspension Trauma Safety Step to improve post-fall comfort and help to prevent suspension trauma.
- Available with Medical ID kit to provide vital medical information to potential rescuers/emergency personnel in the event of medical emergencies.

Approvals

- 5 OSHA
- 5 ANSI Z359.1-2007/ANSI A10.32-2004
- 5 CSA Z259.10-06



Approval	D-Ring Configuration	Size	Leg Strap Type
A. ANSI, OSHA C. CSA	1. Back 2. Back, Chest 3. Back, Chest, Hips 4. Back, Chest, Hips, Shoulders 5. Back, Hips 6. Back, Chest, Shoulders 7. Back, Shoulders 8. Back, Hips, Shoulders	1. Small 2. Standard 3. XL 4. SXL	1. Quick Connect 2. Tongue Buckle 3. Qwik-Fit
Chest Strap Type	Back Connection Type	Padding	Accessories
1. Quick Connect 2. Qwik-Fit	0. D-ring only 1. Sure-Stop Shock Absorber 2. Dorsal Extension	0. None 1. Shoulder Pad 2. Leg Pads 3. Shoulder and Leg Pads	0. None 1. Safety Step 2. Medical ID Kit 3. Safety Step, Medical ID Kit

CUSTOM ITEM#

FP-AEVO(approval)1(D-ring)1(size)(leg strap)1(chest strap)(back connection)(padding)(accessories)0

Contact customer service to create your custom part number when ordering.

PH (905) 898-6906 TOLL FREE 1-877-DIAL-ISS or FAX (905) 898-1597

WEBSITE: www.internationalsafety.com



HARNESSES

06-4

FP700 Series Vest Style, Sized, Full Body Harnesses

The ultimate in comfort and safety. Lightweight and durable. Tough nylon webbing and forged hardware for long-term wear and safety. The sized harness offering has a harness in the right configuration and size for every application. Designed complete with a sub-pelvic strap to help evenly distribute the forces generated in a fall. Meet or exceed applicable ANSI and OSHA requirements, CSA certified. Available in sizes S to XL.



NORTH
by Honeywell

CLASSIFICATION LEGEND

A - Fall arrest **P** - Work positioning **D** - Descent
L - Ladder climbing **C** - Confined space

D-RING LEGEND

F - Front **B** - Back **S** - Side or hip **E** - Shoulder
L - Sternal loops or D-rings **X** - D-Ring extender

CONNECTORS

QC - Quick Connect

ITEM# FP700 Series Harnesses

FP-FP700/1D-(size)	Fall arrest harness Class: A D-Rings: B (small) QC leg strap and chest strap connectors
FP-FP700/1ED-(size)	Fall arrest harness Class: A D-Rings: B (small), X QC leg strap and chest strap connectors
FP-FP701/3D-(size)	Fall arrest harness Class: A, D D-Rings: B (small), L Leg-connectors pass-through
FP-FP701/3ED-(size)	Fall arrest harness Class: A, D D-Rings: B (small), L, X Leg-connectors pass-through
FP-FP700/3D-(size)	Work positioning harness Class: A, P D-Rings: B (small), S QC leg strap and chest strap connectors
FP-FP700/3ED-(size)	Work positioning harness Class: A, P D-Rings: B (small), S, X QC leg strap and chest strap connectors
FP-FP703/3D-(size)	Confined space harness Class: A, C D-Rings: B (small), E QC leg strap and chest strap connectors
FP-FP705/5D-(size)	Construction harness Class: A, P D-Rings: B (small), S, L QC leg strap and chest strap connectors
FP-FP705/5ED-(size)	Work positioning descent harness Class: A, P, D D-Rings: B, S, L, X Leg-connectors pass-through
FP-FP745/5D-(size)	Construction harness, belted Class A, P D-Rings B (small), S, L, QC leg strap and chest strap connectors
FP-FP745/5ED-(size)	Work positioning, descent harness, belted Class A, D, P D-Rings B, S, L, X, Leg-connectors pass-through

FP759 Series Universal Vest Style Harnesses

Comfortable, lightweight, full body harnesses with good mobility. Adjustable shoulder straps and a chest strap that can be positioned in the optimum location for the user, eliminates the need for stretchable webbing. Polyester webbing provides added UV protection and chemical resistance. There are many D-ring, leg strap, and closure combinations; to suit every need. Made with a sub-pelvic strap to add comfort and help distribute the forces generated in a fall. Engineered to meet or exceed applicable ANSI and OSHA requirements and are CSA certified. Extended "D" enhancement, gives the user a means for quick and visual attachment to safety devices.



Note: XL in item number indicates extra large fit.

NORTH
by Honeywell

ITEM# Fall Arrest Universal Harness

FP-FP759/1DP	Class: A D-Rings: B Leg-connectors pass-through
FP-FP759/1DP-XL	Class: A D-Rings: B, X Leg-connectors pass-through
FP-FP759/1DGP	Class: A D-Rings: B Leg-connectors grommeted
FP-FP759/1DGP-XL	Class: A D-Rings: B, X Leg-connectors grommeted
FP-FP759/1EDP	Class: A D-Rings: B Leg-connectors pass-through
FP-FP759/1EDP-XL	Class: A D-Rings: B, X Leg-connectors pass-through

ITEM# Confined Space Universal Harness

FP-FP759/5DP	Class: A, D, L, P, C D-Rings: B, S, E Leg-connectors pass-through
FP-FP759/5DP-XL	Class: A, D, L, P, C D-Rings: B, S, E Leg-connectors pass-through

ITEM# Construction Universal Harness

FP-FP769/3DGP	Class: A, P D-Rings: B, S, Belted Leg-connectors grommeted
FP-FP769/3DGP-XL	Class: A, P D-Rings: B, S, Belted Leg-connectors grommeted

PH (905) 898-6906 TOLL FREE 1-877-DIAL-ISS or FAX (905) 898-1597

WEBSITE: www.internationalsafety.com



FALL PROTECTION

Rite-On Comfort Harness

Universally sized harness. The one piece back/ shoulder pad provides all-day comfort and retains the shape of the harness making it easy to use. Quick-release buckles at chest and legs, and back D-ring. Multiple configurations for different applications like fall arrest, work positioning, and ladder climbing. Friction shoulder strap adjustment. Bayonet leg strap and chest strap connectors.


NORTH

by Honeywell

ITEM#
Rite-On Comfort Harness

FP-FP81F/1DBA	Large back D-Ring
FP-FP81F-1EDBA	Large back D-Ring with extender
FP-FP81F/3DDA	Large back D-Ring, side D-Rings
FP-FP81F-3DIA	Large back D-Ring, shoulder D-Rings
FP-FP81F/3EDDA	Large back D-Ring with extender, side D-Rings
FP-FP81F/4DLA	Large back D-Ring, front D-Ring, side D-Rings
FP-FP81F-4EDLA	Large back D-Ring with extender, front D-Ring, side D-Rings



FP-10072491

FP-10072479

Workman Harnesses

- Comfortable, lightweight, vest style harness.
- Optional hip D-rings for work positioning.
- Abrasion-resistant, strong, durable webbing made of yellow polyester for high visibility.
- Web retainer collars to keep excess webbing neat.
- Easy to don and adjust.
- Choice of Qwik-Fit™ or Tongue-Buckle leg straps.
- Meets OSHA regulations, ANSI A10.32 and ANSI Z359.1, and CSA Z259.10-M90 certified.

MSA

ITEM#	Size		Chest Strap			Attachment Points	
	STD	SXL	Qwik-Fit	Qwik-Fit	Tongue	Back	Hip
FP-10072479	●		●	●		●	
FP-10072480		●	●	●		●	
FP-10072483	●		●	●		●	●
FP-10072491	●		●		●	●	●

Product Sizing

We offer different size harnesses to provide you with the best possible fit, as well as optimum safety and comfort. If you have any questions about selecting the proper harness size, please contact a Customer Service Representative.



FP-SSH80920000

FP-SSH30420060

Shock Absorbing Lanyards for Workman Harnesses

ITEM#	Harness		Anchorage		Tie-Back		Adjustable
	Connection	Connection	Twin	Single	Back		
FP-10072472	LC	LC		●	●		
FP-10072473	LC	(2) LC	●		●		
FP-10072474	LC	LC		●			●
FP-10072475	LC	(2) LC	●				●

Gravity Vest Style Harness and Gravity Cross-Over Harness

The back D-ring of the **Gravity Vest Style Harness** ensures the user is in an up-right position eliminating the need for shoulder D-rings and a spreader bar for confined space applications. Tongue buckle leg straps available on request. Meets ANSI Z 359.1 and OSHA standards. CSA certified. The **Gravity Cross-Over Harness** is a multi-purpose full body harness, and its unique cross-over design allows for adjustment of both the back and chest D-rings. Suitable for controlled descent, positioning, ladder climbing, rescue, and fall arrest.

MSA
ITEM#
Description

FP-SSH80920000	Gravity Cross-Over Harness; nylon webbing, Qwik-Fit leg buckles; D-Rings: 1 back, 1 chest, 2 hip
FP-SSH30420060	Gravity Vest Style Harness; nylon webbing, Qwik-Fit leg buckles; D-Rings: 1 back
FP-SSH30425060	Gravity Vest Style Harness; nylon webbing, Tongue leg buckles; D-Rings: 1 back
FP-SSH31425D22	Gravity Vest Style Harness; nylon webbing, Tongue leg buckles; size: large; D-Rings: 1 back, 1 chest, 2 hip

TechnaCurv™ Full Body Construction Harness

Two options to choose from:

- With integral belt that includes a Dual-Durometer back pad for superior comfort.
- With belt loops for total flexibility of adding any belt of your choice.



ITEM#	Description
FP-10041615	Vest style, standard size with Qwik-Fit chest strap, secure-fit leg straps, shoulder pads, sub-pelvic pad; D-rings: 1 back, 1 chest, 2 hip
FP-10041617	Pullover style, standard size with Qwik-Fit chest strap, secure-fit leg straps, shoulder pads, sub-pelvic pad; D-rings: 1 back, 1 chest, 2 hip
FP-10041595	Vest style, standard size with Qwik-Fit chest strap, tongue buckle leg straps; D-Rings: back and hip



Industrial Body Belts

Constructed of 1 3/4" nylon webbing. The addition of the 3" comfort pad reduces back strain and enhances comfort in work positioning applications.



by Honeywell



ITEM#	Industrial Body Belts
FP-FP400/0D-(size)	Tool and utility pouch belt; no D-rings or comfort pads, sizes: S-XL
FP-FP400/1D-(size)	Travel restraint belt; one back D-ring, no comfort pads, sizes: S-XL
FP-FP400/2D-(size)	Positioning belt; two back D-rings, no comfort pads, sizes: S-XL
FP-FP404/2D-(size)	Positioning belt; two back D-rings, one comfort pad, sizes: S-XL



Body Belt Accessories



by Honeywell

ITEM#	Body Belt Accessories
FP-FP500	Comfort pad for belts, made from leather sewn to a 4" piece of webbing; universal
FP-FP510-(size)	Molded "add on" lumbar support for belts, for use with all belts and universal harnesses; sizes: S/ M, L/ XL



Miner's Belts

Miner's belts require toughness in addition to comfort and utility. Features 2" heavy-duty webbing and reinforced battery straps that significantly reduce the need for strap replacement. Some are equipped with permanently affixed rescue straps. Six configurations to choose from, all waist sized from 30" to 48".



by Honeywell

ITEM#	Description
FP-FP5210/1D-(size)	With one battery strap; one back D-ring, no comfort pads
FP-FP5215/1D-(size)	With one battery strap, reinforced; one back D-ring, no comfort pads
FP-FP5220/0D-(size)	With one battery strap, one rescue strap; no D-rings or comfort pads
FP-FP5220/1D-(size)	With one battery strap, one rescue strap; one back D-ring, no comfort pads
FP-FP5225/1D-(size)	With one battery strap, one rescue strap, reinforced; one back D-ring, no comfort pads
FP-FP5235/1D-(size)	With two battery straps, reinforced; one back D-ring, no comfort pads



More

Fall protection

products available

Call for details

